

# Unknown Case


Aditya Bahel


# History


- 41 year old male presenting to outside hospital with knee pain and swelling 3 years after a sports-related injury































































































































































































# Differential diagnosis

- Morel-Lavallee
- Gout
- Synovial Sarcoma
- Desmoid Tumor
- Fibrosarcoma
- Lymphoma
- Others?



# Differential diagnosis

~~• Meral Proliferation~~

~~• Cyst~~

- Synovial Sarcoma
- Desmoid Tumor
- Fibrosarcoma
- Lymphoma
- Others?

# Primary extranodal lymphoma

- Anaplastic large B cell lymphoma
- No evidence of disease elsewhere
- Initially diagnosed at outside institution as pre-patellar bursitis

## REVIEW

---

# Imaging of musculoskeletal lymphoma

Chee Yeong Lim, Keh Oon Ong

*Department of Diagnostic Radiology, Singapore General Hospital, Block 2 Level 1 Outram Road, Singapore 169608*

*Corresponding address: Dr Lim Chee Yeong, Department of Diagnostic Radiology Singapore General Hospital, Block 2 Level 1 Outram Road Singapore 169608.*

*Email: drcylim@gmail.com*

Date accepted for publication 8 August 2013

### Abstract

Lymphoma of the musculoskeletal system involving the bone, muscle or skin is commonly due to secondary involvement from disseminated disease but can occasionally present as primary extranodal disease. Although radiological features are traditionally known to be non-specific, recognition of certain characteristics using summation of imaging modalities as well as knowledge of clinical features can help in making the diagnosis. Imaging also plays an integral role in treatment response assessments, especially via positron emission tomography/computed tomography functional imaging.

# What did I learn in this case?

1. Radiology is very humbling
2. History is very important, especially in this case where “knee pain” alone may have led one down the wrong path
3. DR indicated that lymphoma was low on his differential, so I guess I don’t feel so bad after all.

